

Delivery address:

Currenta GmbH & Co. OHG  
Analytik – Building Q 18 (via gate 11)  
Mr Marcel Mueschen  
Telephone: +49 214 3139 3005

**Delivery via gate 11:**

Düsseldorfer Str. 601, 51061 Cologne  
For navigation systems: (51°00'27.2"N 6°59'36.6"E)

## Order analysis

*Please fill in completely and enclose the samples!*

### Your Order

Customer	Differing invoice recipient
Company:	<b>Please fill in</b>
Name:	Company:
Department:	Department:
Street: STRASSE	Street:
Postal code, city:	Postal code, city:
Country:	Country:
E-mail:	E-mail:
Tel. direct:	Tel. direct:
<b>VAT ID (once for the 1<sup>st</sup> order):</b>	<b>Would you like to receive the invoice by e-mail (eBilling)?</b> <input type="checkbox"/> Yes <input type="checkbox"/> No
<b>Order details</b>	
<b>Our quotation number:</b>	<b>Your order number:</b>
Purchase order follows: <input type="checkbox"/> Yes	(if available and/or requested in the invoice)

### Your Result

Please fill in additional result recipients			
Surname	First name	E-mail	Tel. direct

Delivery address:

Currenta GmbH & Co. OHG  
Analytik – Building Q 18 (via gate 11)  
Mr Marcel Mueschen  
Telephone: +49 214 3139 3005

**Delivery via gate 11:**

Düsseldorfer Str. 601, 51061 Cologne  
For navigation systems: (51°00'27.2"N 6°59'36.6"E)








**Safety Information**

**Substances in accordance with the Explosives Act and radioactive substances are not processed by CURRENTA Analytik and must not be shipped under any circumstances.**

**Biological substances and narcotics may not be shipped to CURRENTA Analytik without consultation.**

**Insufficient information on the sample (e.g., missing safety data sheet) may delay the processing of the order.**

The sample is:

- not** a hazardous substance (according to the Hazardous Substances Ordinance)
- Narcotic substance (according to Narcotic Drugs Act)
-  Biological substance (according to the Biological Agents Ordinance)
- Hazardous substance according to the Hazardous Substances Ordinance (Please enclose the safety data sheet)
-  Untested / not fully tested substance (according to the Hazardous Substances Ordinance, e.g., research samples)
  - Potential hazards:
  - flammable 
  - harmful to health or acute toxicity   
  - corrosive 
  - Dangerous chemical reaction with:
  - Hazardous ingredients, if any:

Further comments on hazards or handling:

Special storage conditions:

No

Yes

(Room temperature)

Comment:



**Delivery address:**

Currenta GmbH & Co. OHG  
 Analytik – Building Q 18 (via gate 11)  
 Mr Marcel Mueschen  
 Telephone: +49 214 3139 3005

**Delivery via gate 11:**

Düsseldorfer Str. 601, 51061 Cologne  
 For navigation systems: (51°00'27.2"N 6°59'36.6"E)

**OPTIONAL**

Only to be filled in when ordering individual offer items and/or detailed information on samples and test scope.

Addition to "Scope of Testing"					
Quotation position	Sample name	Method	Quality standard	Scope of testing	Safety information
Example: (Pos. 4)	e.g. (Siliciumoxid)	e.g. (Si determination ICP-OES)	e.g. DIN EN ISO/IEC 17025 or GxP	e.g. (Si, double determination)	e.g. (Particularly dangerous substance)

**Your Comments**

\_\_\_\_\_

**Date**

\_\_\_\_\_

**Signature of ordering party**